Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 1 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade Name: Arabian Sandalwood

Product/Sales No:

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

KC's Burning Aromas, LLC 3120 W. Carefree Hwy

Suite B-7

Phoenix, Az 85086

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2. Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 4 H302 : Harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316 : Causes mild skin irritation

Sensitization, Skin, Category 1B

Eye Damage/Eye Irritation, Category 2A

Acute Toxicity Inhalation, Category 5

Aquatic Acute Toxicity, Category 1

H317: May cause an allergic skin reaction

H319: Causes serious eye irritation

H333: May be harmful if inhaled

H400: Very Toxic to aquatic life

Aquatic Chronic Toxicity, Category 2 H411: Toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Acute Toxicity Oral, Category 4 H302: Harmful if swallowed

Eye Damage/Eye Irritation, Category 2A H319 : Causes serious eye irritation Aquatic Acute Toxicity, Category 1 H400 : Very Toxic to aquatic life

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following: None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 2 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

Signal Word: Warning Hazard statements

H302	Harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS#		Conc.			
	EC#	Range	GHS Classification		
Ingredient					
120-51-4	204-402-9	70 - 80 %	H302; H313; H400; H411		
Benzyl Benzoate					
66068-84-6	266-100-3	2 - 5 %	H315; H401; H411		
Isocamphenyl cyclohexanol (mixed isomers)					

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 3 of 8

SKU#: ara Print Date: 2019-09-30 15:24

CAS#	F0#	Conc.				
Ingredient	EC#	Range	GHS Classification			
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402			
Linalyl Acetate						
60-12-8 200-4 alcohol	56-2 1 - 2 %	% phenethyl	H302; H313; H316; H319			
2050-08-0	218-080-2	1 - 2 %	H302; H400; H410			
Amyl salid	Amyl salicylate					
32388-55-9	251-020-3	1 - 2 %	H303; H317; H400; H410			
Acetyl ced	Acetyl cedrene					
32210-23-4	250-954-9	1 - 2 %	H303; H317; H401			
4-tert-Butylcyclohexyl acetate						
118-58-1	204-262-9	1 - 2 %	H303; H317; H320; H401; H412			
Benzyl Sa	Benzyl Salicylate					
78-70-6	201-134-4	1 - 2 %	H227; H303; H315; H317; H319; H402			
Linalool						
91-64-5	202-086-7	1 - 2 %	H302; H317; H402			
Coumarin						
105-87-3	203-341-5	0.1 - 1.0 %	H315; H317; H401; H412			
Geranyl Acetate						
80-54-6	201-289-8	0.1 - 1.0 %	H227; H302; H315; H317; H361; H401;			
Butylphenyl Methylpropional H412 See Section 16 for full text of GHS classification codes						

See Section 16 for full text of GHS classification codes which where not shown in section 2 Total Hydrocarbon Content (% w/w) = 0.83

4. First Aid Measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

Eye Exposure: Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.

Skin Exposure: Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 4 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

Risks: Refer to Section 2.2 "Hazard Statements"

4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

5. Fire-Fighting measures

5.1 Extinguishing media

Suitable:Carbon dioxide (CO2), Dry chemical, FoamUnsuitableDo not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: 5.3 Water may be ineffective

Advice for firefighters

Further information: Standard procedure for chemical fires

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 5 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Pale Yellow to Golden Yellow (G2-6)

Viscosity: Liquid Freezing Point: Not determined

Boiling Point: Not determined

Melting Point: Not determined

Flashpoint (CCCFP): >200 F (93.33 C) Auto flammability: Not determined Explosive Properties: None Expected Oxidizing properties: None Expected Vapor Pressure (mmHg@20 C): 0.0287 %VOC: 0.03

Specific Gravity @ 25 C: 1.0800 Density @ 25 C: 1.0770 Refractive Index @ 20 C: 1.5490 Soluble in:

Oil

10. Stability and Reactivity

10.1 Reactivity None10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 1689.4305) Harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 3361.3869) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 192.3138) May be harmful if inhaled

Skin corrosion / irritationMay be harmful if inhaledSerious eye damage / irritationCauses serious eye irritation

Respiratory sensitization Not classified - the classification criteria are not met

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 6 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Aspiration hazard Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

Acute acquatic toxicity Very Toxic to aquatic life

Chronic acquatic toxicity

Toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available

Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact : 120-51-4

: (70 - 80 %): Benzyl Benzoate

Regulator Class Pack Group Sub Risk UN-nr.
U.S. DOT (Non-Bulk) Not Regulated - Not Dangerous Goods
Chemicals NOI

ADR/RID (International Road/Rail)

Environmentally Hazardous 9 III UN3082 Substance, Liquid, n.o.s.

IATA (Air Cargo)

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

IMDG (Sea)

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 7 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

Environmentally Hazardous 9 III UN3082

Substance, Liquid, n.o.s.

15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains NO components of concern.

U.S. State Regulations

California Proposition 65 Warning

This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)
100-42-5(NF 202-851-5 <= 25 ppm Styrene (Natural Source)

94-59-7 202-345-4 <= 12 ppm Safrole (Natural Source)

93-15-2 202-223-0 <= 5 ppm Methyl Eugenol (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H227 : Combustible liquid H303 : May be harmful if swallowed

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H320 : Causes eye irritation H361 : Suspected of damaging fertility or the unborn

child

H401 : Toxic to aquatic life H402 : Harmful to aquatic life

H410 : Very toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

Total Fractional Values

(TFV) Risk (TFV) Risk

(51.40) Aquatic Chronic Toxicity, Category 3 (26.00) Acute Toxicity Inhalation, Category 5

(5.13) Aquatic Chronic Toxicity, Category 2 (3.50) Sensitization, Skin, Category 1

(3.49) Aquatic Chronic Toxicity, Category 4 (3.26) Aquatic Acute Toxicity, Category 1

(1.90) Sensitization, Skin, Category 1B (1.49) Acute Toxicity Dermal, Category 5

(1.34) Skin Corrosion/Irritation, Category 3 (1.18) Acute Toxicity Oral, Category 4

(1.04) Eye Damage/Eye Irritation, Category 2A

SDS v1 GHS / OSHA **Safety**

Data Sheet

Revised Date: 2019-07-22 00:00

Product: Arabian Sandalwood

Product#: Page 8 of 8

SKU#: **ara** Print Date: 2019-09-30 15:24

Remarks

This safety data sheet is based on the properties of the material known to KC's Burning Aromas, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment KC's Burning Aromas, LLC holds no responsibility. This document is not intended for quality assurance purposes.